

RECEIVED
CENTRAL FAX CENTER

AUG 28 2006

09/824,035
DOCKET NO. WN-2316

2

AMENDMENTS TO THE CLAIMS:

Claim 1. (Currently amended) A digital content reproducing system comprising:
a movie company terminal which stores and manages a digital content of movies;
a content delivery terminal in communication with the movie company terminal via a network; and

a projecting system which is connected to the content delivery terminal via the network, receives the digital content from the content delivery terminal via the network, and reproduces the digital content to show a movie, wherein the projecting system comprises:

a reproducing device; and

a backup reproducing device that decodes signals while the reproducing device periodically sends a first predetermined signal to the backup reproducing device, and starts processing the decoded digital content when the reproducing device stops sending the first predetermined signal; and

~~an audio-visual input switching device receiving only one of a video signal and an audio signal from one of said reproducing device and said backup reproducing device.~~

Claim 2. (Currently amended) The digital content reproducing system of claim 1, wherein the projecting system further comprises:

a mass memory unit which stores the digital content supplied via the network; and
an wherein said audio-visual input switching device that receives the output signals from said reproducing device and said backup reproducing device and that selects the output signals from an active one of said reproducing device and the backup reproducing device to produce the selected output signals said one of said reproducing device and said backup reproducing device from which to receive said only one of a video signal and an audio signal.

Claim 3. (Previously presented) The digital content reproducing system of claim 2,

09/824,035
DOCKET NO. WN-2316

3

wherein the projecting system further comprises:

a projecting device which receives the video signals from the audio-visual switching device and projects them on a screen; and

an audio processor which receives the audio signals from the audio-visual switching device and outputs them to a loudspeaker.

Claim 4. (Previously presented) The digital content reproducing system of claim 3, wherein the reproducing device and the backup reproducing device comprise the same elements and each of the devices comprises:

an encrypting module which is connected to the mass memory unit and encrypts the digital content received from the mass memory unit;

an audio-visual separating module which receives the digital content from the encrypting module and separates them into the video signals and the audio signals;

a video decoder which receives the video signals from the audio-visual separating module and decodes them;

a video signal output device which receives the decoded video signals from the video decoder and outputs them to the audio-visual input switching device;

an audio decoder which receives the audio signals from the audio-visual separating module and decodes them; and

an audio signal output device which receives the decoded audio signals from the audio decoder and outputs them to the audio-visual input switching device.

Claim 5. (Previously presented) The digital content reproducing system of claim 4, wherein the backup reproducing device decodes the signals at the video decoder and the audio decoder while the reproducing device periodically sends a first predetermined signal to the backup reproducing device, and wherein the backup reproducing device starts a sending process of the decoded signals to the audio-visual input switching device in addition to the

09/824,035
DOCKET NO. WN-2316

4

decoding process when the reproducing device stops sending the first predetermined signal.

Claim 6. (Previously presented) The digital content reproducing system of claim 5, wherein the backup reproducing device sends a second predetermined signal, to instruct the reproducing device to stop, after the backup reproducing device starts the sending process.

Claim 7. (Previously presented) The digital content reproducing system of claim 3, wherein the digital content is individually supplied in the form of video data and audio data, and wherein the reproducing device and the backup reproducing device comprise the same elements and each of the devices comprises a video data processing section and an audio processing section,

the video data processing section comprising:

a first decrypting module which is connected to the mass memory unit and decrypts the video data received from the mass memory unit;

a video decoder which receives the video signals from the first decrypting module and decodes them; and

a video signal output device which receives the decoded video signals from the video decoder and outputs them to the audio-visual input switching device,

the audio data processing section comprising:

a second decrypting module which is connected to the mass memory unit and decrypts the audio data received from the mass memory unit;

an audio decoder which receives the audio signals from the second decrypting module and decodes them; and

an audio signal output device which receives the decoded audio signals from the audio decoder and outputs them to the audio-visual input switching device.

Claim 8. (Previously presented) The digital content reproducing system of claim 7,

09/824,035
DOCKET NO. WN-2316

5

wherein the video signal output device supplies the decoded video signals to the projecting device other than through the audio-visual input switching device when said audio-visual input switching device receives said audio signal and wherein the audio signal output device supplies the decoded audio signals to the audio processor other than through the audio-visual input switching device when said audio-visual input switching device receives said video signal.

Claim 9. (Previously presented) The digital content reproducing system of claim 7, wherein the backup reproducing device decodes the signals at the video decoder and the audio decoder while the reproducing device periodically sends said first predetermined signal to the backup reproducing device, and wherein the backup reproducing device starts a sending process of the decoded signals to the audio-visual input switching device in addition to the decoding process when the reproducing device stops sending the first predetermined signal.

Claim 10. (Previously presented) The digital content reproducing system of claim 9, wherein the backup reproducing device sends a second predetermined signal, to instruct the reproducing device to stop, after the backup reproducing device starts the sending process.

Claim 11. (Canceled).

Claim 12. (Currently amended) A digital content reproducing system comprising:
a movie company terminal which stores and manages a digital content of movies;
a content delivery terminal in communication with the movie company terminal via a network; and
a projecting system which is connected to the content delivery terminal via a network,
wherein the projecting system receives the digital content from the content delivery terminal

09/824,035
DOCKET NO. WN-2316

6

via the network and reproduces the digital content to show a movie, the projecting system comprises:

a reproducing device which supplies signals to reproduce the digital content;

and

a backup reproducing device which supplies signals to reproduce the digital content when the reproducing device can not serve to reproduce the digital content;

and

~~an audio-visual input switching device receiving only one of a video signal and an audio signal from one of said reproducing device and said backup reproducing device,~~

wherein the backup reproducing device performs a decoding process of the digital content while the reproducing device periodically sends a first predetermined signal to the backup reproducing device, and the backup reproducing device starts processing the decoded digital content and supplying the signals to reproduce the movie in addition to the decoding process when the reproducing device stops sending the first predetermined signal.

Claim 13. (Canceled).

Claim 14. (Currently amended) A method of reproducing a digital content at a movie theater terminal received from a movie company terminal via a content delivery company terminal at either one of a reproducing device and a backup reproducing device, comprising:

at the movie company terminal:

requesting registration of a digital content of a movie with the content delivery company terminal; and

sending the digital content of the movie in response to a request to register from the content delivery company terminal;

at the content delivery company terminal:

09/824,035
DOCKET NO. WN-2316

7

sending a request to register the digital content of the movie to the movie company terminal in response to a request to register from the movie company terminal;

receiving the digital content of the movie from the movie company terminal;
and

sending the digital content of the movie to a movie theater terminal that includes the reproducing device and the backup reproducing device;
at the reproducing device:

receiving a digital content of a movie;

decoding the digital content;

processing the decoded digital content;

supplying signals to reproduce the movie; and

periodically sending, in normal operation, a predetermined signal to a backup reproducing device;

at the backup reproducing device:

receiving a digital content of a movie;

decoding the digital content while receiving the predetermined signal from the reproducing device;

receiving the predetermined signal from the reproducing device;

starting processing the decoded digital content when the predetermined signal is not sent from the reproducing device; and

supplying ~~only one of~~ a video signal and an audio signal to an audio-visual input switching device to reproduce the movie, when the predetermined signal is not sent from the reproducing device.

Claim 15. (Currently amended) A recording medium readable by a computer, tangibly embodying a program of instructions executable by the computer to perform a method of

09/824,035
DOCKET NO. WN-2316

8

reproducing a digital content comprising:

at a movie company terminal:

requesting registration of a digital content of a movie with a content delivery company terminal; and

sending the digital content of the movie in response to a request to register from the content delivery company terminal;

at a content delivery company terminal:

sending a request to register the digital content of the movie to the movie company terminal in response to a request to register from the movie company terminal;

receiving the digital content of the movie from the movie company terminal;

and

sending the digital content of the movie to a movie theater terminal that includes a reproducing device and a backup reproducing device;

at the reproducing device:

receiving the digital content of the movie;

decoding the digital content;

processing the decoded digital content;

supplying signals to reproduce the movie; and

periodically sending, in normal operation, a predetermined signal to the backup reproducing device;

at the backup reproducing device:

receiving the digital content of the movie;

decoding the digital content while receiving the predetermined signal from the reproducing device;

receiving the predetermined signal from the reproducing device;

starting processing the decoded digital content when the predetermined signal

09/824,035
DOCKET NO. WN-2316

9

is not sent from the reproducing device; and

supplying ~~only one of~~ a video signal and an audio signal to an audio-visual input switching device reproduce the movie, when the predetermined signal is not sent from the reproducing device.

Claim 16. (Currently amended) A computer program ~~data signal~~ stored in a media and representing a sequence of instructions which, when executed by a processor, cause the processor to perform a method of reproducing a digital content comprising:

at a movie company terminal:

requesting, by the movie company terminal, registration of a digital content of a movie with a content delivery company terminal; and

sending, by the movie company terminal, the digital content of the movie in response to a request to register from the content delivery company terminal;

at a content delivery company terminal:

sending, by said content delivery company terminal, a request to register the digital content of the movie to the movie company terminal in response to a request to register from the movie company terminal;

receiving, by said content delivery company terminal, the digital content of the movie from the movie company terminal; and

sending, by said content delivery company terminal, the digital content of the movie to a movie theater terminal that includes a reproducing device and a backup reproducing device;

at the reproducing device:

receiving, by the reproducing device, the digital content of the movie;

decoding, by the reproducing device, the digital content;

processing, by the reproducing device, the decoded digital content;

supplying, by the reproducing device, signals to reproduce the movie; and

09/824,035
DOCKET NO. WN-2316

10

periodically, by the reproducing device, sending, in normal operation, a predetermined signal to the backup reproducing device;
at the backup reproducing device:
receiving, by the backup reproducing device, the digital content of the movie;
decoding, by the backup reproducing device, the digital content while receiving the predetermined signal from the reproducing device;
receiving, by the backup reproducing device, the predetermined signal from the reproducing device;
starting processing, by the backup reproducing device, the decoded digital content when the predetermined signal is not sent from the reproducing device; and
supplying, by the backup reproducing device, ~~only one of~~ a video signal and an audio signal to an audio-visual input switching device to reproduce the movie, when the predetermined signal is not sent from the reproducing device.

Claim 17. (Currently amended) A program product comprising, computer readable instructions and a recording medium bearing the computer readable instructions, the instructions enabling a computer being adaptable to enable computers to perform a method of reproducing a digital content comprising:

at a movie company terminal:

requesting registration of a digital content of a movie with a content delivery company terminal; and

sending the digital content of the movie in response to a request to register from the content delivery company terminal;

at a content delivery company terminal:

sending a request to register the digital content of the movie to the movie company terminal in response to a request to register from the movie company terminal;

09/824,035
DOCKET NO. WN-2316

11

receiving the digital content of the movie from the movie company terminal;
and
sending the digital content of the movie to a movie theater terminal that
includes a reproducing device and a backup reproducing device;
at the reproducing device:
receiving the digital content of the movie;
decoding the digital content;
processing the decoded digital content;
supplying signals to reproduce the movie; and
periodically sending, in normal operation, a predetermined signal to the
backup reproducing device;
at the backup reproducing device:
receiving the digital content of the movie;
decoding the digital content while receiving the predetermined signal from the
reproducing device;
receiving the predetermined signal from the reproducing device;
starting processing the decoded digital content when the predetermined signal
is not sent from the reproducing device; and
supplying ~~only one of~~ a video signal and an audio signal to an audio-visual
input switching device to reproduce the movie, when the predetermined signal is not
sent from the reproducing device.

Claim 18. (Previously presented) The system of claim 1, wherein the backup reproducing device sends the decoded signals to the projecting system if the reproducing device stops sending the first predetermined signal.

Claim 19. (Previously presented) The system of claim 18, wherein the backup

09/824,035
DOCKET NO. WN-2316

12

reproducing device sends a second predetermined signal to the reproducing device in response to the reproducing device stopping the sending of the first predetermined signal.

Claim 20. (Previously presented) The system of claim 19, wherein the reproducing device stops sending decoded signals in response to receiving the second predetermined signal.

Claim 21. (Previously presented) The system of claim 1, wherein the backup reproducing device decrypts signals while the reproducing device periodically sends a first predetermined signal to the backup reproducing device.

Claim 22. (Currently amended) A digital content projecting system comprising:
a movie company terminal which stores and manages a digital content of movies;
a content delivery terminal in communication with the movie company terminal via a network; and
a movie theater terminal in communication with the content delivery terminal comprising a reproducing device, a backup reproducing device, and an audio-visual input switching device, wherein the reproducing device reproduces a digital content of movies, said digital content received from the movie company terminal via the content delivery terminal, and wherein the backup reproducing device decodes said digital content while the reproducing device periodically sends a first predetermined signal to the backup reproducing device, ~~and wherein said audio-visual input switching device receives only one of a video signal and an audio signal from one of said reproducing device and said backup reproducing device, and wherein said backup reproducing device starts processing the decoded digital content when the reproducing device stops sending the first predetermined signal.~~

Claim 23. (Previously presented) The digital content projecting system of claim 22,

09/824,035
DOCKET NO. WN-2316

13

wherein said backup reproducing device starts outputting said digital content in response to a stop of said first predetermined signal.

Claims 24-25. (Canceled).

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.